




Arnica Pain Cream, Full Spec, 2oz, 1000mg

Batch ID or Lot Number: RAPCFS1000-001	Test: Potency	Reported: 03Feb2023	USDA License: N/A
Matrix: Concentrate	Test ID: T000234194	Started: 02Feb2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 01Feb2023	Status: N/A

Cannabinoids

	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.018	0.056	0.100	1.00	
Cannabichromenic Acid (CBCA)	0.017	0.051	ND	ND	
Cannabidiol (CBD)	0.052	0.162	2.080	20.80	
Cannabidiolic Acid (CBDA)	0.054	0.167	ND	ND	
Cannabidivarin (CBDV)	0.012	0.038	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.022	0.069	ND	ND	
Cannabigerol (CBG)	0.010	0.032	0.060	0.60	
Cannabigerolic Acid (CBGA)	0.044	0.133	ND	ND	
Cannabinol (CBN)	0.014	0.041	<LOQ	<LOQ	
Cannabinolic Acid (CBNA)	0.030	0.091	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.052	0.158	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.047	0.144	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.042	0.127	ND	ND	
Tetrahydrocannabivarin (THCV)	0.009	0.029	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.037	0.112	ND	ND	
Total Cannabinoids			2.240	22.40	
Total Potential THC			ND	ND	
Total Potential CBD			2.080	20.80	

Final Approval



Karen Winternheimer
03Feb2023
10:32:00 AM MST

PREPARED BY / DATE



Sam Smith
03Feb2023
10:35:00 AM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/6a4cb58e-a3c3-48bf-a2f3-dd81fafce690>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDa *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
6a4cb58ea3c348bfa2f3dd81fafce690.1